ELSEVIER

European Journal of Pharmacology 295 (1996) 281–282

ejp

Author index

Abadie, P., Rioux, P., Scatton, B., Zarifian, E., Barré, L., Patat, A. and Baron, J.-C.
Central benzodiazepine receptor occupancy by zolpidem in the human brain as assessed by positron emission tomography (295) 35
Ahlenius, S., see Hillegaart, V. (295) 155
Alper, S.L., see Coupry, I. (295) 109
Anderson, J.J., Kask, A.M. and Chase, T.N.
Effects of cannabinoid receptor stimulation and blockade on catalepsy produced by dopamine receptor antagonists (295) 163
Armsby, C.C., see Coupry, I. (295) 109

Baeyens, J.M., see Robles, L.-I. (295) 181
Baker, K.M., see Thomas, W.G. (295) 119
Baron, J.-C., see Abadie, P. (295) 35
Barré, L., see Abadie, P. (295) 35
Barrios, M., see Robles, L.-I. (295) 181
Beck, B., see Stricker-Krongrad, A. (295) 27
Boer, R., Ulrich, W.-R., Haas, S., Borchers, C., Gekeler, V., Boss, H., Przybylski, M. and Schödl, A.
Interaction of cytostatics and chemosensitizers with the dexniguldipine binding site on P-glycoprotein (295) 253
Bonnet, P., see Vandier, C. (295) 53
Booz, G.W., see Thomas, W.G. (295) 119
Borchers, C., see Boer, R. (295) 253
Boss, H., see Boer, R. (295) 253
Brann, M.R., see Bräuner-Osborne, H. (295) 93
Bräuner-Osborne, H. and Brann, M.R.
Pharmacology of muscarinic acetylcholine receptor subtypes (m1–m5): high throughput assays in mammalian cells (295) 93
Briley, M., see Moret, C. (295) 189
Brugnara, C., see Coupry, I. (295) 109
Burlet, C., see Stricker-Krongrad, A. (295) 27

Cai, M., Sakamoto, A. and Ogawa, R.
Inhibition of nitric oxide formation with L-canavanine attenuates endotoxin-induced vascular hyporeactivity in the rat (295) 215
Chase, T.N., see Anderson, J.J. (295) 163
Chiba, S., see Ren, L.-M. (295) 61
Corbett, R., see Kafka, S.H. (295) 147
Coupry, I., Armsby, C.C., Alper, S.L., Brugnara, C. and Parini, A.
Clotrimazole and efaroxan inhibit red cell Gardos channel independently of imidazoline I_1 and I_2 binding sites (295) 109

Del Arco, C., see Pascual, J. (295) 271
Del Olmo, E., see Pascual, J. (295) 271
Del Pozo, E., see Robles, L.-I. (295) 181
Dordal, A., see Robles, L.-I. (295) 181

Eilam, Y., see Ela, C. (295) 275
Ela, C., Hasin, Y. and Eilam, Y.
Apparent desensitization of a σ receptor sub-population in neonatal rat cardiac myocytes by pre-treatment with σ receptor ligands (295) 275
Eltze, M.
In functional experiments, risperidone is selective, not for the B, but for the A subtype of α_1-adrenoceptors (295) 69
Emadi-Khiav, B. and Pearce, F.L.
Some studies on the effects of α-chymotrypsin on mast cells from the rat and other species (295) 243
Engert, F., see Frank, C. (295) 87
Estival, A., see Hillegaart, V. (295) 155

Frank, C., Engert, F., Tokutomi, N. and Lux, H.D.
Different effects of baclofen and GTPγS on voltage-activated Ca^{2+} currents in rat hippocampal neurons in vitro (295) 87
Funder, J., see Jefferys, D. (295) 131

Gaskin, A.A., see MacLennan, A.J. (295) 103
Gekeler, V., see Boer, R. (295) 253
Gomi, Y., see Tsunobuchi-Ushijima, H. (295) 235
Grant, T.L., see Mayers, R.M. (295) 199

Haas, S., see Boer, R. (295) 253
Haroutunian, V., see Santucci, A.C. (295) 7
Hasegawa, Y. and Ono, H.
Effect of (±)-8-hydroxy-2-(di-*n*-propylamino)tetralin hydrobromide on spinal motor systems in anesthetized intact and spinalized rats (295) 211
Hasin, Y., see Ela, C. (295) 275
Herzig, S.
Ca^{2+} channel activation by CGP 48506, a new positive inotropic benzodiazocine derivative (295) 113
Hillegaart, V., Estival, A. and Ahlenius, S.
Evidence for specific involvement of 5-HT_{1A} and 5-$HT_{2A/C}$ receptors in the expression of patterns of spontaneous motor activity of the rat (295) 155
Ho, I.K., see Tokuyama, S. (295) 123
Ho, I.K., see Suzuki, T. (295) 169
Hogg, J.E., see Hutson, P.H. (295) 45
Holloway, B.R., see Mayers, R.M. (295) 199
Hutson, P.H. and Hogg, J.E.
Effects of and interactions between antagonists for different sites on the NMDA receptor complex on hippocampal and striatal acetylcholine efflux in vivo (295) 45

Imai, S., see Takahashi, T. (295) 229
Ito, T., see Suzuki, T. (295) 169

Jahan, H., Kobayashi, S., Nishimura, J. and Kanaide, H.
Endothelin-1 and angiotensin II act as progression but not competence growth factors in vascular smooth muscle cells (295) 261
Jefferys, D. and Funder, J.
Nitric oxide modulates retention of immobility in the forced swimming test in rats (295) 131

Kafka, S.H. and Corbett, R.
Selective adenosine A_{2A} receptor/dopamine D_2 receptor interactions in animal models of schizophrenia (295) 147
Kanaide, H., see Jahan, H. (295) 261
Kanda, T., see Takahashi, T. (295) 229
Kask, A.M., see Anderson, J.J. (295) 163

Kikuchi, S., Umemura, K., Kondo, K. and Nakashima, M.
Tranilast suppresses intimal hyperplasia after photochemically induced endothelial injury in the rat (295) 221
Knott, P.J., see Santucci, A.C. (295) 7
Kobayashi, I., see Takahashi, T. (295) 229
Kobayashi, S., see Jahan, H. (295) 261
Kondo, K., see Kikuchi, S. (295) 221
Kuzmin, A., Semenova, S., Ramsey, N.F., Zvartau, E.E. and Van Ree, J.M.
Modulation of cocaine intravenous self-administration in drug-naive animals by dihydropyridine Ca^{2+} channel modulators (295) 19

Li, Y., see Nowak, G. (295) 75
Lux, H.D., see Frank, C. (295) 87

MacLennan, A.J., Gaskin, A.A., Vinson, E.N. and Martinez, L.C.
Ciliary neurotrophic factor receptor α mRNA in NB41A3 neuroblastoma cells: regulation by cAMP (295) 103
Martinez, L.C., see MacLennan, A.J. (295) 103
Mayers, R.M., Quayle, S.P., Thompson, A.J., Grant, T.L. and Holloway, B.R.
The acid metabolite of ZD7114 is a partial agonist of lipolysis mediated by the rat β_3-adrenoceptor (295) 199
Mirza, N.R., Pei, Q., Stolerman, I.P. and Zetterström, T.S.C.
The nicotinic receptor agonists (−)-nicotine and isoarecolone differ in their effects on dopamine release in the nucleus accumbens (295) 207
Moret, C. and Briley, M.
Effects of acute and repeated administration of citalopram on extracellular levels of serotonin in rat brain (295) 189
Murata, K., see Takahashi, T. (295) 229

Nakane, T., see Ren, L.-M. (295) 61
Nakashima, M., see Kikuchi, S. (295) 221
Nishimura, J., see Jahan, H. (295) 261
Nowak, G., Li, Y. and Paul, I.A.
Adaptation of cortical but not hippocampal NMDA receptors after chronic citalopram treatment (295) 75

Ogawa, R., see Cai, M. (295) 215
Ono, H., see Hasegawa, Y. (295) 211

Parini, A., see Coupry, I. (295) 109
Pascual, J., Del Arco, C., Romón, T., Del Olmo, E. and Pazos, A.
[^{3}H]Sumatriptan binding sites in human brain: regional-dependent labelling of 5-HT_{1D} and 5-HT_{1F} receptors (295) 271
Patat, A., see Abadie, P. (295) 35
Paul, I.A., see Nowak, G. (295) 75
Pazos, A., see Pascual, J. (295) 271
Pearce, F.L., see Emadi-Khiav, B. (295) 243
Pei, Q., see Mirza, N.R. (295) 207
Przybylski, M., see Boer, R. (295) 253

Quayle, S.P., see Mayers, R.M. (295) 199

Ramsey, N.F., see Kuzmin, A. (295) 19
Ren, L.-M., Nakane, T. and Chiba, S.
Purinergic and adrenergic transmission and their presynaptic modulation in canine isolated perfused splenic arteries (295) 61
Rioux, P., see Abadie, P. (295) 35
Robles, L.-I., Barrios, M., Del Pozo, E., Dordal, A. and Baeyens, J.M.
Effects of K^+ channel blockers and openers on antinociception induced by agonists of 5-HT_{1A} receptors (295) 181
Romón, T., see Pascual, J. (295) 271

Sadegh, M., see Zarrindast, M.-R. (295) 1
Sakamoto, A., see Cai, M. (295) 215
Santucci, A.C., Knott, P.J. and Haroutunian, V.
Excessive serotonin release, not depletion, leads to memory impairments in rats (295) 7
Scatton, B., see Abadie, P. (295) 35
Schmidt, W.J., see Tzschentke, T.M. (295) 137
Schödl, A., see Boer, R. (295) 253
Semenova, S., see Kuzmin, A. (295) 19
Shafaghi, B., see Zarrindast, M.-R. (295) 1
Stolerman, I.P., see Mirza, N.R. (295) 207
Stricker-Krongrad, A., Beck, B. and Burlet, C.
Enhanced feeding response to neuropeptide Y in hypothalamic neuropeptide Y-depleted rats (295) 27
Suzuki, T., Ito, T., Wellman, S.E. and Ho, I.K.
An autoradiographic study of [^{3}H]flunitrazepam binding sites in the brain of rat made tolerant to and dependent on pentobarbital (295) 169
Suzuki, T., see Takahashi, T. (295) 229

Takahashi, T., Kanda, T., Imai, S., Suzuki, T., Kobayashi, I. and Murata, K.
Semotiadil improves survival of rats with monocrotaline-induced pulmonary hypertension: comparison with diltiazem (295) 229
Thekkumkara, T.J., see Thomas, W.G. (295) 119
Thomas, W.G., Baker, K.M., Booz, G.W. and Thekkumkara, T.J.
Evidence against a role for protein kinase C in the regulation of the angiotensin II (AT_{1A}) receptor (295) 119
Thompson, A.J., see Mayers, R.M. (295) 199
Tokutomi, N., see Frank, C. (295) 87
Tokuyama, S., Wakabayashi, H. and Ho, I.K.
Direct evidence for a role of glutamate in the expression of the opioid withdrawal syndrome (295) 123
Tsunobuchi-Ushijima, H. and Gomi, Y.
The specific effect of Mn^{2+} on the tonic components of receptor-mediated contractions in isolated vas deferens of the guinea pig (295) 235
Tzschentke, T.M. and Schmidt, W.J.
Morphine-induced catalepsy is augmented by NMDA receptor antagonists, but is partially attenuated by an AMPA receptor antagonist (295) 137

Ulrich, W.-R., see Boer, R. (295) 253
Umemura, K., see Kikuchi, S. (295) 221

Vandier, C. and Bonnet, P.
Synergistic action of NS-004 and internal Ca^{2+} concentration in modulating pulmonary artery K^+ channels (295) 53
Van Ree, J.M., see Kuzmin, A. (295) 19
Vinson, E.N., see MacLennan, A.J. (295) 103

Wakabayashi, H., see Tokuyama, S. (295) 123
Wellman, S.E., see Suzuki, T. (295) 169

Zarifian, E., see Abadie, P. (295) 35
Zarrindast, M.-R., Sadegh, M. and Shafaghi, B.
Effects of nicotine on memory retrieval in mice (295) 1
Zetterström, T.S.C., see Mirza, N.R. (295) 207
Zvartau, E.E., see Kuzmin, A. (295) 19